# **Texture Analysis**

Selim Aksoy Department of Computer Engineering Bilkent University saksoy@cs.bilkent.edu.tr

- An important approach to image description is to quantify its texture content.
- Texture gives us information about the spatial arrangement of the colors or intensities in an image.




Figure 7.2: Three different textures with the same distribution of black and white.

- Although no formal definition of texture exists, intuitively it can be defined as the uniformity, density, coarseness, roughness, regularity, intensity and directionality of discrete tonal features and their spatial relationships.
- Texture is commonly found in natural scenes, particularly in outdoor scenes containing both natural and man-made objects.






 Whether an effect is a texture or not depends on the scale at which it is viewed.









- The approaches for characterizing and measuring texture can be grouped as:
  - structural approaches that use the idea that textures are made up of primitives appearing in a near-regular repetitive arrangement,
  - statistical approaches that yield a quantitative measure of the arrangement of intensities.
- While the first approach is appealing and can work well for man-made, regular patterns, the second approach is more general and easier to compute and is used more often in practice.


- Structural approaches model texture as a set of texture primitives (also called texels (texture elements) or textons) in a particular spatial relationship (also called lattice or grid layout).
- A structural description of a texture includes a description of the primitives and a specification of their placement patterns.
- Of course, the primitives must be identifiable and their relationships must be efficiently computable.



Examples of periodic patterns that are extended in two linearly independent directions to cover the 2D plane. These patterns are also known as wallpaper patterns. Y. Liu, et al., "A Computational Model for Periodic Pattern Perception Based on Frieze and Wallpaper Groups", IEEE Trans. On Pattern Analysis and Machine Intelligence, 2004 CS 484, Spring 2010 ©2010, Selim Aksoy 9



A structural texture analysis method that involves detecting interesting elements in the image, matching elements with their neighbors, and grouping the elements. T. Leung, J. Malik, "Detecting, Localizing and Grouping Repeated Scene Elements from an Image", ECCV 2004




A method that involves the detection of interest points, clustering of these points, voting for consistent lattice unit proposals, and iterative fitting of a lattice structure.

M. Park, et al., "Deformed Lattice Detection in Real-World Images Using Mean-Shift Belief Propagation", IEEE Trans. On Pattern Analysis and Machine Intelligence, 2009

CS 484, Spring 2010

©2010, Selim Aksoy



Examples from two different structural texture analysis methods.

M. Park, et al., "Deformed Lattice Detection in Real-World Images Using Mean-Shift Belief Propagation", IEEE Trans. On Pattern Analysis and Machine Intelligence, 2009 CS 484, Spring 2010 ©2010, Selim Aksoy





Figure 2. An input image is represented by the segmentation tree, and then all pairs of its M nodes are matched. Frequently occurring, similar subtrees are viewed as candidate texels, which are then fused into the tree-union, representing the texel model.

A method that involves forming a hierarchical representation of the image and searching for texels within this hierarchy.

N. Ahuja, S. Todorovic, "Extracting Texels in 2.1D Natural Textures", ICCV 2007




A method for localization of natural structural textures using multi-orientation and multi-scale regularity analysis of textons detected using Laplacian of Gaussian filters (top: orientation estimates, bottom: scale estimates).

I. Z. Yalniz, S. Aksoy, "Unsupervised Detection and Localization of Structural Textures Using Projection Profiles", Pattern Recognition, 2010

CS 484, Spring 2010

©2010, Selim Aksoy



Examples of natural structural texture detection in images taken from Google Earth (top: input images, bottom: localized structural textures).

I. Z. Yalniz, S. Aksoy, "Unsupervised Detection and Localization of Structural Textures Using Projection Profiles", Pattern Recognition, 2010

# Statistical approaches

- Usually, segmenting out the texels is difficult or even impossible in real images.
- Instead, numeric quantities or statistics that describe a texture can be computed from the gray tones or colors themselves.
- This approach can be less intuitive, but is computationally efficient and often works well.

# Statistical approaches

- Some statistical approaches for texture:
  - Edge density and direction
  - Co-occurrence matrices
  - Local binary patterns
  - Statistical moments
  - Autocorrelation
  - Markov random fields
  - Autoregressive models
  - Mathematical morphology
  - Interest points
  - Fourier power spectrum
  - Gabor filters

# Edge density and direction

- Use an edge detector as the first step in texture analysis.
- The number of edge pixels in a fixed-size region tells us how busy that region is.
- The directions of the edges also help characterize the texture.

# Edge density and direction

#### Edge-based texture measures:

Edgeness per unit area

 $F_{edgeness} = | \{ p | gradient_magnitude(p) \ge threshold \} | / N$ where N is the size of the unit area.


Edge magnitude and direction histograms

 $F_{magdir} = (H_{magnitude}, H_{direction})$ 

where these are the normalized histograms of gradient magnitudes and gradient directions, respectively.

 Two histograms can be compared by computing their L<sub>1</sub> or L<sub>2</sub> distance.

#### Edge texture



Satellite images sorted according to the amount of land development (left). Properties of the arrangements of line segments can be used to model the organization in an area (right).

CS 484, Spring 2010

©2010, Selim Aksoy


- Co-occurrence, in general form, can be specified in a matrix of relative frequencies P(i, j; d, θ) with which two texture elements separated by distance d at orientation θ occur in the image, one with property i and the other with property j.
- In gray level co-occurrence, as a special case, texture elements are pixels and properties are gray levels.

- The spatial relationship can also be specified as a displacement vector (dr, dc) where dr is a displacement in rows and dc is a displacement in columns.
- For a particular displacement, the resulting square matrix can be normalized by dividing each entry by the number of elements used to compute that matrix.

0	0 1		1
0	0	1	1
0	2	2	2
2	2	3	3


(a)4x4 imagewith gray levels0-3.

		Gray Level						
		0	1	2	3			
	0		#(0,1)					
Gray	1	#(1,0)	#(1,1)	#(1,2)	#(1,3)	)		
Level	<b>2</b>	#(2,0)	#(2,1)	#(2,2)	#(2,3)	)		
	3	#(3,0)	#(1,1) #(2,1) #(3,1)	#(3,2)	#(3,3)	)		
(b) General form of co-occurrence								
matri	ices	P(i, j;	$(d, \theta)$ for	r gray	levels	\$		
0-3 where $\#(i,j)$ stands for number								
of times gray levels $i$ and $j$ have been								
neighbors. $P(i, j; 1, 0^\circ)$		5.			$\begin{pmatrix} 4 \end{pmatrix}$	2	1	0
		· 1 0°) —	2	4	0	0		
	$F(i, j, 1, 0^{\circ}) =$		1	0	6	1		
					<b>(</b> 0	0	1	2
(c) $(d, \theta) = (1, 0^{\circ})$								
					6	0	<b>2</b>	0
	$P(i,j;1,90^{\circ}) =$		0	4	<b>2</b>	0		
			P(i, j;	$1,90^{\circ}) =$	2	<b>2</b>	<b>2</b>	<b>2</b>
					\ o	0	<b>2</b>	0
(e) $(d, \theta) = (1, 90^{\circ})$								



-> 0<sup>0</sup>

 $45^{0}$ 



	(	4	1	0	0)
$P(i,j;1,135^{\circ}) =$		1	<b>2</b>	<b>2</b>	0
		0	<b>2</b>	4	1
		0	0	1	0 /


(f)  $(d, \theta) = (1, 135^{\circ})$ 

#### CS 484, Spring 2010

©2010, Selim Aksoy

- If a texture is coarse and the distance d used to compute the co-occurrence matrix is small compared to the sizes of the texture elements, pairs of pixels at separation d should usually have similar gray levels.
- This means that high values in the matrix P(i, j; d, θ) should be concentrated on or near its main diagonal.
- Conversely, for a fine texture, if d is comparable to the texture element size, then the gray levels of points separated by d should often be quite different, so that values in P(i, j; d, θ) should be spread out relatively uniformly.

- Similarly, if a texture is directional, i.e., coarser in one direction than another, the degree of spread of the values about the main diagonal in P(i, j; d, θ) should vary with the orientation θ.
- Thus texture directionality can be analyzed by comparing spread measures of P(i, j; d, θ) for various orientations.



(a) Co-occurrence matrices for an image with (b) Co-occurrence matrices for an image a small amount of local spatial variations. with a large amount of local spatial variafigure 4. Example co-occurrence matrices.

- In order to use the information contained in cooccurrence matrices, Haralick et al. (SMC 1973) defined 14 statistical features that capture textural characteristics such as homogeneity, contrast, organized structure, and complexity.
- Zucker and Terzopoulos (CGIP 1980) suggested using a chi-square statistical test to select the values of d that have the most structure for a given class of images.

$$\chi^{2}(d) = \left(\sum_{i} \sum_{j} \frac{N_{d}^{2}(i,j)}{N_{d}(i)N_{d}(j)} - 1\right)$$

$$Energy = \sum_{i} \sum_{j} N_{d}^{2}(i, j)$$

$$Entropy = -\sum_{i} \sum_{j} N_{d}(i, j) \log_{2} N_{d}(i, j)$$

$$Contrast = \sum_{i} \sum_{j} (i - j)^{2} N_{d}(i, j)$$


$$Homogeneity = \sum_{i} \sum_{j} \frac{N_{d}(i, j)}{1 + |i - j|}$$

$$Correlation = \frac{\sum_{i} \sum_{j} (i - \mu_{i})(j - \mu_{j}) N_{d}(i, j)}{\sigma_{i} \sigma_{j}}$$

where  $\mu_i$ ,  $\mu_j$  are the means and  $\sigma_i$ ,  $\sigma_j$  are the standard deviations of the row and column sums  $N_d(i)$  and  $N_d(j)$  defined by

$$egin{array}{rcl} N_d(i) &=& \displaystyle{\sum_j} N_d(i,j) \ N_d(j) &=& \displaystyle{\sum_i} N_d(i,j) \end{array}$$

CS 484, Spring 2010




Example building groups (first column), the contrast features for 0 and 67.5 degree orientations (second and third columns), and the chi-square features for 0 and 67.5 degree orientations (fourth and fifth columns). X-axes represent inter-pixel distances of 1 to 60. The features at a particular orientation exhibit a periodic structure as a function of distance if the neighborhood contains a regular arrangement of buildings along that direction. On the other hand, features are very similar for different orientations if there is no particular arrangement in the neighborhood.

CS 484, Spring 2010


# Local binary patterns

- For each pixel p, create an 8-bit number b<sub>1</sub> b<sub>2</sub> b<sub>3</sub>
   b<sub>4</sub> b<sub>5</sub> b<sub>6</sub> b<sub>7</sub> b<sub>8</sub>, where b<sub>i</sub> = 0 if neighbor i has value less than or equal to p's value and 1 otherwise.
- Represent the texture in the image (or a region) by the histogram of these numbers.




# Local binary patterns

The fixed neighborhoods were later extended to multi-scale circularly symmetric neighbor sets.



Texture primitives detected by the LBP:



#### Autocorrelation

- The autocorrelation function of an image can be used to
  - detect repetitive patterns of texture elements, and
  - describe the fineness/coarseness of the texture.
- The autocorrelation function ρ(dr,dc) for displacement d=(dr,dc) is given by

$$\rho(dr, dc) = \frac{\sum_{r=0}^{N} \sum_{c=0}^{N} I[r, c] I[r+dr, c+dc]}{\sum_{r=0}^{N} \sum_{c=0}^{N} I^{2}[r, c]} \\ = \frac{I[r, c] \diamond I_{d}[r, c]}{I[r, c] \diamond I[r, c]}$$

#### Autocorrelation


- Interpreting autocorrelation:
  - Coarse texture → function drops off slowly
  - Fine texture  $\rightarrow$  function drops off rapidly
  - Can drop differently for r and c
  - Regular textures → function will have peaks and valleys; peaks can repeat far away from [0,0]
  - Random textures → only peak at [0,0]; breadth of peak gives the size of the texture

#### Fourier power spectrum

- The autocorrelation function is related to the power spectrum of the Fourier transform.
- The power spectrum contains texture information because
  - prominent peaks in the spectrum give the principal direction of the texture patterns,
  - location of the peaks gives the fundamental spatial period of the patterns.

#### Fourier power spectrum


 The power spectrum, represented in polar coordinates, can be integrated over regions bounded by circular rings (for frequency content) and wedges (for orientation content).




CS 484, Spring 2010

©2010, Selim Aksoy

#### Fourier power spectrum



#### Fourier power spectrum



Example building groups (first column), Fourier spectrum of these images (second column), and the corresponding ring- and wedge-based features (third and fourth columns). X-axes represent the rings in the third column and the wedges in the fourth column plots. The peaks in the features correspond to the periodicity and directionality of the buildings, whereas no dominant peaks can be found when there is no regular building pattern.

CS 484, Spring 2010

- The Gabor representation has been shown to be optimal in the sense of minimizing the joint twodimensional uncertainty in space and frequency.
- These filters can be considered as orientation and scale tunable edge and line detectors.
- Fourier transform achieves localization in either spatial or frequency domain but the Gabor transform achieves simultaneous localization in both spatial and frequency domains.

 A 2D Gabor function g(x,y) and its Fourier transform G(u,v) can be written as

$$g(x,y) = \left(\frac{1}{2\pi\sigma_x\sigma_y}\right) \exp\left[-\frac{1}{2}\left(\frac{x^2}{\sigma_x^2} + \frac{y^2}{\sigma_y^2}\right) + 2\pi jWx\right]$$

$$G(u,v) = \exp\left\{-\frac{1}{2}\left[\frac{\left(u-W\right)^2}{\sigma_u^2} + \frac{v^2}{\sigma_v^2}\right]\right\}$$

where  $\sigma_u = 1/2 \pi \sigma_x$  and  $\sigma_v = 1/2 \pi \sigma_y$ .

 Let U<sub>I</sub> and U<sub>h</sub> denote the lower and upper center frequencies of interest, K be the number of orientations, and S be the number of scales, the filter parameters can be selected as

$$a = \left(\frac{U_{h}}{U_{l}}\right)^{\frac{1}{S-1}}, \quad \sigma_{u} = \frac{(a-1)U_{h}}{(a+1)\sqrt{2\ln 2}},$$
$$\sigma_{v} = \tan\left(\frac{\pi}{2k}\right) \left[U_{h} - 2\ln\left(\frac{2\sigma_{u}^{2}}{U_{h}}\right)\right] \left[2\ln 2 - \frac{(2\ln 2)^{2}\sigma_{u}^{2}}{U_{h}^{2}}\right]^{-\frac{1}{2}}$$

where  $W = U_h$  and m = 0, 1, ..., S-1.






Fig. 1. The contours indicate the half-peak magnitude of the filter responses in the Gabor filter dictionary. The filter parameters used are  $U_h = 0.4$ ,  $U_l = 0.05$ , K = 6, and S = 4.

	s = 1, o = 0	s = 1, o = 45	s = 1, o = 90	s = 1, o = 135
			Ľ	
	s = 2, o = 0	s = 2, o = 45	s = 2, o = 90	s = 2, o = 135
			11	
	s = 3, o = 0	s = 3, o = 45	s = 3, o = 90	s = 3, o = 135
Filters at multiple scales and orientations.		"	10	*
	s = 4, o = 0	s = 4, o = 45	s = 4, o = 90	s = 4, o = 135
	-	"	0	*






Gabor filter responses for a satellite image.

CS 484, Spring 2010



Gabor filter responses for a satellite image.

CS 484, Spring 2010



Gabor filter responses for a satellite image.





Figure 4: Snapshot of an aerial photograph browsing demonstration. The example shown indicates a query pattern containing a parking lot. Next to the query is the image codeword used to index the database. The browser can retrieve almost 99% of all the parking lots in the aerial photo database.


CS 484, Spring 2010



CS 484, Spring 2010

Full resolution of some retrieved tiles

48




CS 484, Spring 2010


# **Texture synthesis**

- Goal of *texture analysis*: compare textures and decide if they are similar.
- Goal of *texture synthesis*: construct large regions of texture from small example images.
- It is an important problem for rendering in computer graphics.
- Strategy: to think of a texture as a sample from some probability distribution and then to try and obtain other samples from that same distribution.

# Neighborhood window



# Varying window size




#### Increasing window size


CS 484, Spring 2010




Examples











Examples








# Examples



Original Texture

Synthesized Texture




Synthesized Texture

CS 484, Spring 2010


# **Examples: political synthesis**

#### Bush campaign digitally altered TV ad

President Bush's campaign acknowledged Thursday that it had digitally altered a photo that appeared in a national cable television commercial. In the photo, a handful of soldiers were multiplied many times.



#### Examples: texture transfer



## Examples: combining images









# Examples: image analogies



Unfiltered source (A)






CS 484, Spring 2010

Unfiltered (B)

©2010, Selim Aksoy

Filtered (B')

### Examples: image analogies



Unfiltered source (A)



Filtered source (A')

