Introduction to Pattern Recognition Part I

Selim Aksoy

Department of Computer Engineering Bilkent University saksoy@cs.bilkent.edu.tr

CS 484, Spring 2008



Human Perception

- ► Humans have developed highly sophisticated skills for sensing their environment and taking actions according to what they observe, e.g.,
 - recognizing a face,
 - understanding spoken words,
 - reading handwriting,
 - distinguishing fresh food from its smell.
- We would like to give similar capabilities to machines.

What is Pattern Recognition?

- ► A *pattern* is an entity, vaguely defined, that could be given a name, e.g.,
 - fingerprint image,
 - handwritten word,
 - human face,
 - speech signal,
 - DNA sequence,
 - **.** . . .
- Pattern recognition is the study of how machines can
 - observe the environment,
 - learn to distinguish patterns of interest,
 - make sound and reasonable decisions about the categories of the patterns.

Human and Machine Perception

- We are often influenced by the knowledge of how patterns are modeled and recognized in nature when we develop pattern recognition algorithms.
- Research on machine perception also helps us gain deeper understanding and appreciation for pattern recognition systems in nature.
- ➤ Yet, we also apply many techniques that are purely numerical and do not have any correspondence in natural systems.

 Table 1: Example pattern recognition applications.

Problem Domain	Application	Input Pattern	Pattern Classes
Document image analysis	Optical character recognition	Document image	Characters, words
Document classification	Internet search	Text document	Semantic categories
Document classification	Junk mail filtering	Email	Junk/non-junk
Multimedia database retrieval	Internet search	Video clip	Video genres
Speech recognition	Telephone directory assistance	Speech waveform	Spoken words
Natural language processing	Information extraction	Sentences	Parts of speech
Biometric recognition	Personal identification	Face, iris, fingerprint	Authorized users for access control
Medical	Computer aided diagnosis	Microscopic image	Cancerous/healthy cell
Military	Automatic target recognition	Optical or infrared image	Target type
Industrial automation	Printed circuit board inspec-	Intensity or range image	Defective/non-defective prod-
	tion		uct
Industrial automation	Fruit sorting	Images taken on a conveyor belt	Grade of quality
Remote sensing	Forecasting crop yield	Multispectral image	Land use categories
Bioinformatics	Sequence analysis	DNA sequence	Known types of genes
Data mining	Searching for meaningful pat-	Points in multidimensional	Compact and well-separated
	terns	space	clusters

From Nov 10, 1999

Jim Elder
829 Loop Street, Apt 300
Allentown, New York 14707

To
Dr. Bob Grant
602 Queensberry Parkway

We were referred to you by Xena Cohen at the University Medical Center. This is regarding my friend, Kate Zack.

Om ar. West Virginia 25638

It all started around six months ago while attending the "Rubeq" Jazz Concert. Organizing such an event is no picnic, and as President of the Alumni Association, a co-sponsor of the event, Kate was overworked. But she enjoyed her job, and did what was required of her with great zeal and enthus saw.

However, the extra hours affected her health; halfway through the show she passed out. We rushed her to the hospital, and several questions, x-rays and blood tests later, were told it was just exhaustion.

Kate's been in very bad health since. Could you kindly take a look at the results and give us your opinion?

Thank you! Jim

```
New 10 , 1999
    Tim Elder
     2.29 loop Short, AH 200
     Alenkun New York 14707
To The Red Cornel
     bed Greenberry Rockway
      Court, Wast Vilgina 25131
 bits were suffered in you by Xeno Ceben at the University Medical Could Then is suggesting any bound, that Zouk.
   Is not shalled abound six mentile ago while attending the
 * Rober Total Concept. Companying such an event is no picole,
 and as President of the Alumni Association, a co-species of the
  early. Kells was anothered. But the enjoyed has job, and abid
  what was dequired of her with great total and enthusiates
  Hower, the when homes affected for health; halfway through
  the show she propered and . We sushed has to the happiers, and
  several spections, x says and blood best dates, was fold it was
  just exhauston
  Kidd been in very bad beatth sine. Gold you kindly late a
   just of the results and you as your opinion?
   Thurt yes!
```

Figure 1: English handwriting recognition.



故天将降火任于是人也,必先苦其心态,劳其筋骨,饿其体肤, 空至其身,行拂乱其所为,所认动心忍,性,曾益其所不能。

(a) Handwriting

故天将降大任于是人也,必先苦 其心志,劳其筋骨,饿其体肤, 空乏其身,行拂乱其所为,所以 动心忍性,曾益其所不能。

(b) Corresponding Machine Print

Figure 2: Chinese handwriting recognition.






Figure 3: Fingerprint recognition.






Figure 4: Biometric recognition.






Figure 5: Cancer detection and grading using microscopic tissue data.




Figure 6: Cancer detection and grading using microscopic tissue data.



Figure 7: Land cover classification using satellite data.



Figure 8: Building and building group recognition using satellite data.



Figure 9: License plate recognition: US license plates.






Figure 10: Clustering of microarray data.



An Example

- Problem: Sorting incoming fish on a conveyor belt according to species.
- Assume that we have only two kinds of fish:
 - sea bass,
 - salmon.



Figure 11: Picture taken from a camera.

An Example: Decision Process

- What kind of information can distinguish one species from the other?
 - ► length, width, weight, number and shape of fins, tail shape, etc.
- ▶ What can cause problems during sensing?
 - lighting conditions, position of fish on the conveyor belt, camera noise, etc.
- What are the steps in the process?
 - \blacktriangleright capture image \to isolate fish \to take measurements \to make decision



- Assume a fisherman told us that a sea bass is generally longer than a salmon.
- ► We can use length as a *feature* and decide between sea bass and salmon according to a threshold on length.
- ► How can we choose this threshold?






Figure 12: *Histograms* of the length feature for two types of fish in *training samples*. How can we choose the threshold l^* to make a reliable decision?

- ► Even though sea bass is longer than salmon on the average, there are many examples of fish where this observation does not hold.
- ► Try another feature: average lightness of the fish scales.




Figure 13: Histograms of the lightness feature for two types of fish in training samples. It looks easier to choose the threshold x^* but we still cannot make a perfect decision.

An Example: Cost of Error

- We should also consider costs of different errors we make in our decisions.
- ► For example, if the fish packing company knows that:
 - Customers who buy salmon will object vigorously if they see sea bass in their cans.
 - Customers who buy sea bass will not be unhappy if they occasionally see some expensive salmon in their cans.
- ▶ How does this knowledge affect our decision?

An Example: Multiple Features

- Assume we also observed that sea bass are typically wider than salmon.
- We can use two features in our decision:
 - ▶ lightness: x₁
 - ightharpoonup width: x_2
- Each fish image is now represented as a point (feature vector)

$$\mathbf{x} = \begin{pmatrix} x_1 \\ x_2 \end{pmatrix}$$

in a two-dimensional feature space.



An Example: Multiple Features




Figure 14: Scatter plot of lightness and width features for training samples. We can draw a decision boundary to divide the feature space into two regions. Does it look better than using only lightness?

An Example: Multiple Features

- ▶ Does adding more features always improve the results?
 - Avoid unreliable features.
 - Be careful about correlations with existing features.
 - Be careful about measurement costs.
 - Be careful about noise in the measurements.
- ▶ Is there some *curse* for working in very high dimensions?

An Example: Decision Boundaries

- Can we do better with another decision rule?
- ▶ More complex models result in more complex boundaries.




Figure 15: We may distinguish training samples perfectly but how can we predict how well we can *generalize* to unknown samples?

An Example: Decision Boundaries

How can we manage the tradeoff between complexity of decision rules and their performance to unknown samples?




Figure 16: Different criteria lead to different decision boundaries.

More on Complexity





Figure 17: Regression example: plot of 10 sample points for the input variable x along with the corresponding target variable t. Green curve is the true function that generated the data.


More on Complexity



(c) 3'rd order polynomial (d) 9'th order polynomial Figure 18: Polynomial curve fitting: plots of polynomials having various orders, shown as red curves, fitted to the set of 10 sample points.

29 / 39

More on Complexity



(a) 15 sample points (b) 100 sample points

Figure 19: Polynomial curve fitting: plots of 9'th order polynomials fitted to 15 and 100 sample points.

30 / 39

Pattern Recognition Systems




Figure 20: Object/process diagram of a pattern recognition system.

Pattern Recognition Systems

- Data acquisition and sensing:
 - Measurements of physical variables.
 - Important issues: bandwidth, resolution, sensitivity, distortion, SNR, latency, etc.
- Pre-processing:
 - Removal of noise in data.
 - Isolation of patterns of interest from the background.
- Feature extraction:
 - Finding a new representation in terms of features.



Pattern Recognition Systems

- Model learning and estimation:
 - Learning a mapping between features and pattern groups and categories.
- Classification:
 - Using features and learned models to assign a pattern to a category.
- ► Post-processing:
 - Evaluation of confidence in decisions.
 - Exploitation of context to improve performance.
 - Combination of experts.





Figure 21: The design cycle.

- Data collection:
 - Collecting training and testing data.
 - How can we know when we have adequately large and representative set of samples?



Feature selection:

- Domain dependence and prior information.
- Computational cost and feasibility.
- Discriminative features.
 - Similar values for similar patterns.
 - Different values for different patterns.
- Invariant features with respect to translation, rotation and scale.
- Robust features with respect to occlusion, distortion, deformation, and variations in environment.



Model selection:

- Domain dependence and prior information.
- Definition of design criteria.
- Parametric vs. non-parametric models.
- Handling of missing features.
- Computational complexity.
- Types of models: templates, decision-theoretic or statistical, syntactic or structural, neural, and hybrid.
- How can we know how close we are to the true model underlying the patterns?



▶ Training:

- How can we learn the rule from data?
- Supervised learning: a teacher provides a category label or cost for each pattern in the training set.
- Unsupervised learning: the system forms clusters or natural groupings of the input patterns.
- ► Reinforcement learning: no desired category is given but the teacher provides feedback to the system such as the decision is right or wrong.

Evaluation:

- How can we estimate the performance with training samples?
- How can we predict the performance with future data?
- Problems of overfitting and generalization.

Summary

- ▶ Pattern recognition techniques find applications in many areas: machine learning, statistics, mathematics, computer science, biology, etc.
- ► There are many sub-problems in the design process.
- Many of these problems can indeed be solved.
- More complex learning, searching and optimization algorithms are developed with advances in computer technology.
- ► There remain many fascinating unsolved problems.

