

Introduction to Pattern Recognition

Part I

Selim Aksoy

Department of Computer Engineering
Bilkent University
saksoy@cs.bilkent.edu.tr

CS 484, Fall 2019



Human Perception

- ▶ Humans have developed highly sophisticated skills for sensing their environment and taking actions according to what they observe.
- ▶ We would like to give similar capabilities to machines.
- ▶ *Pattern recognition* is the study of how machines can
 - ▶ observe the environment,
 - ▶ learn to distinguish patterns of interest,
 - ▶ make sound and reasonable decisions about the categories of the patterns.



An Example

- ▶ Problem: Sorting incoming fish on a conveyor belt according to species.
- ▶ Assume that we have only two kinds of fish:
 - ▶ sea bass,
 - ▶ salmon.



Figure 1: Picture taken from a camera.

An Example: Decision Process

- ▶ What kind of information can distinguish one species from the other?
 - ▶ length, width, weight, number and shape of fins, tail shape, etc.
- ▶ What can cause problems during sensing?
 - ▶ lighting conditions, position of fish on the conveyor belt, camera noise, etc.
- ▶ What are the steps in the process?
 - ▶ capture image → isolate fish → take measurements → make decision



An Example: Selecting Features

- ▶ Assume a fisherman told us that a sea bass is generally longer than a salmon.
- ▶ We can use length as a *feature* and decide between sea bass and salmon according to a threshold on length.
- ▶ How can we choose this threshold?



An Example: Selecting Features




Figure 2: *Histograms* of the length feature for two types of fish in *training samples*. How can we choose the threshold l^* to make a reliable decision?

An Example: Selecting Features

- ▶ Even though sea bass is longer than salmon on the average, there are many examples of fish where this observation does not hold.
- ▶ Try another feature: average lightness of the fish scales.



An Example: Selecting Features




Figure 3: Histograms of the lightness feature for two types of fish in training samples. It looks easier to choose the threshold x^* but we still cannot make a perfect decision.



An Example: Cost of Error

- ▶ We should also consider *costs of different errors* we make in our decisions.
- ▶ For example, if the fish packing company knows that:
 - ▶ Customers who buy salmon will object vigorously if they see sea bass in their cans.
 - ▶ Customers who buy sea bass will not be unhappy if they occasionally see some expensive salmon in their cans.
- ▶ How does this knowledge affect our decision?



An Example: Multiple Features

- ▶ Assume we also observed that sea bass are typically wider than salmon.
- ▶ We can use two features in our decision:
 - ▶ lightness: x_1
 - ▶ width: x_2
- ▶ Each fish image is now represented as a point (*feature vector*)

$$\mathbf{x} = \begin{pmatrix} x_1 \\ x_2 \end{pmatrix}$$

in a two-dimensional *feature space*.



An Example: Multiple Features




Figure 4: *Scatter plot* of lightness and width features for training samples. We can draw a *decision boundary* to divide the feature space into two regions. Does it look better than using only lightness?



An Example: Multiple Features

- ▶ Does adding more features always improve the results?
 - ▶ Avoid unreliable features.
 - ▶ Be careful about correlations with existing features.
 - ▶ Be careful about measurement costs.
 - ▶ Be careful about noise in the measurements.
- ▶ Is there some *curse* for working in very high dimensions?



An Example: Decision Boundaries

- ▶ Can we do better with another decision rule?
- ▶ More complex models result in more complex boundaries.




Figure 5: We may distinguish training samples perfectly but how can we predict how well we can *generalize* to unknown samples?



An Example: Decision Boundaries

- ▶ How can we manage the *tradeoff* between complexity of decision rules and their performance to unknown samples?




Figure 6: Different criteria lead to different decision boundaries.

Pattern Recognition Systems




Figure 7: Object/process diagram of a pattern recognition system.

The Design Cycle



Figure 8: The design cycle.

- ▶ Data collection:
 - ▶ Collecting training and testing data.
 - ▶ How can we know when we have adequately large and representative set of samples?



The Design Cycle

- ▶ Feature selection:
 - ▶ Computational cost and feasibility.
 - ▶ Discriminative features.
 - ▶ Similar values for similar patterns.
 - ▶ Different values for different patterns.
 - ▶ Invariant features with respect to translation, rotation and scale.
 - ▶ Robust features with respect to occlusion, distortion, deformation, and variations in environment.



The Design Cycle

- ▶ Model selection:
 - ▶ Definition of design criteria.
 - ▶ Handling of missing features.
 - ▶ Computational complexity.
 - ▶ How can we know how close we are to the true model underlying the patterns?



The Design Cycle

- ▶ Training:
 - ▶ How can we learn the rule from data?
 - ▶ Supervised learning: a teacher provides a category label or cost for each pattern in the training set.
 - ▶ Unsupervised learning: the system forms clusters or natural groupings of the input patterns.
 - ▶ Reinforcement learning: no desired category is given but the teacher provides feedback to the system such as the decision is right or wrong.



The Design Cycle

- ▶ Evaluation:
 - ▶ How can we estimate the performance with training samples?
 - ▶ How can we predict the performance with future data?
 - ▶ Problems of overfitting and generalization.

