

CS473 - Algorithms I




Lecture 6-a Analysis of Quicksort

View in slide-show mode

Analysis of Quicksort

```
QUICKSORT (A,  $p$ ,  $r$ )  
  if  $p < r$  then  
     $q \leftarrow \text{H-PARTITION}(A, p, r)$   
    QUICKSORT(A,  $p$ ,  $q$ )  
    QUICKSORT(A,  $q + 1$ ,  $r$ )
```



Assume *all elements are distinct* in the following analysis

Question

```
QUICKSORT (A, p, r)
  if  $p < r$  then
     $q \leftarrow \text{H-PARTITION}(A, p, r)$ 
    QUICKSORT(A, p, q)
    QUICKSORT(A, q + 1, r)
```

Q: Remember that **H-PARTITION** always chooses $A[p]$ (*the first element*) as the **pivot**. What is the runtime of **QUICKSORT** on an already-sorted array?


✗ a) $\Theta(n)$

✓ c) $\Theta(n^2)$

✗ b) $\Theta(n \log n)$

✗ d) cannot provide a tight bound

Example: An Already Sorted Array



Partitioning always leads to 2 parts of size 1 and $n-1$


Worst Case Analysis of Quicksort

- Worst case is when the **PARTITION** algorithm always returns imbalanced partitions (of size *1* and *n-1*) in every recursive call
 - This happens when the pivot is selected to be either the **min** or **max** element.
 - This happens for **H-PARTITION** when the input array is already sorted or reverse sorted

$$\begin{aligned} T(n) &= T(1) + T(n-1) + \Theta(n) \\ &= T(n-1) + \Theta(n) \\ &= \Theta(n^2) \quad (\text{arithmetic series}) \end{aligned}$$


Worst Case Recursion Tree

$$T(n) = T(1) + T(n-1) + cn$$



Worst Case Recursion Tree

$$T(n) = T(1) + T(n-1) + cn$$



Best Case Analysis (for intuition only)

- If we're extremely lucky, H-PARTITION splits the array evenly at every recursive call

$$T(n) = 2 T(n/2) + \Theta(n)$$


$$= \Theta(n \lg n) \quad \square \text{ same as merge sort}$$

- Instead of splitting 0.5:0.5, what if every split is 0.1:0.9?


$$T(n) = T(n/10) + T(9n/10) + \Theta(n)$$

□ solve this recurrence


“Almost-Best” Case Analysis



“Almost-Best” Case Analysis



“Almost-Best” Case Analysis



Balanced Partitioning

- We have seen that if **H-PARTITION** always splits the array with **0.1-to-0.9 ratio**, the runtime will be $\Theta(\lg n)$.
- Same is true with a split ratio of **0.01-to-0.99**, etc.
- Possible to show that if the split has always constant ($\Theta(1)$) proportionality, then the runtime will be $\Theta(\lg n)$.
- In other words, for a constant α ($0 < \alpha \leq 0.5$):
 α -to- $(1-\alpha)$ proportional split yields $\Theta(\lg n)$ total runtime


Balanced Partitioning

- In the rest of the analysis, assume that *all input permutations* are **equally likely**.
 - This is only to gain some intuition
 - We cannot make this assumption for average case analysis
 - We will revisit this assumption later
- Also, assume that **all input elements are distinct**.
- What is the probability that **H-PARTITION** returns a split that is more balanced than **0.1-to-0.9**?

Balanced Partitioning

Reminder: *H-PARTITION* will place the pivot in the right partition unless the pivot is the smallest element in the arrays.

Question: If the **pivot** selected is the m^{th} smallest value ($1 < m \leq n$) in the input array, what is the size of the left region after partitioning?



Balanced Partitioning

Question: What is the probability that the **pivot** selected is the m^{th} smallest value in the array of size n ?


$1/n$ (since all input permutations are equally likely)

Question: What is the probability that the left partition returned by **H-PARTITION** has size m , where $1 < m < n$?

$1/n$ (due to the answers to the previous 2 questions)

Balanced Partitioning

Question: What is the probability that **H-PARTITION** returns a split that is more balanced than 0.1-to-0.9?



The partition boundary will be in this region
for a more balanced split than 0.1-to-0.9

$$\text{Probability} = \sum_{q=0.1n+1}^{0.9n-1} \frac{1}{n} = \frac{1}{n} (0.9n - 1 - 0.1n - 1 + 1) = 0.8 - \frac{1}{n}$$


≈ 0.8 for large n

Balanced Partitioning

- The probability that *H-PARTITION* yields a split that is more balanced than 0.1-to-0.9 is 80% on a random array.
- Let P_{α} be the probability that *H-PARTITION* yields a split more balanced than α -to- $(1-\alpha)$, where $0 < \alpha \leq 0.5$
- Repeat the analysis to generalize the previous result

Balanced Partitioning

Question: What is the probability that **H-PARTITION** returns a split that is more balanced than α -to- $(1-\alpha)$?



The partition boundary will be in this region
for a more balanced split than α -to- $(1-\alpha)$

$$\text{Probability} = \sum_{q=\alpha n+1}^{(1-\alpha)n-1} \frac{1}{n} = \frac{1}{n} ((1-\alpha)n - 1 - \alpha n - 1 + 1) = (1-2\alpha) - \frac{1}{n}$$

$\approx (1-2\alpha)$ for large n

Balanced Partitioning

- We found $P_{\alpha>} = 1 - 2\alpha$

Examples: $P_{0.1>} = 0.8$ $P_{0.01>} = 0.98$

- Hence, *H-PARTITION* produces a split
 - *more balanced* than a
 - 0.1-to-0.9 split 80% of the time
 - 0.01-to-0.99 split 98% of the time
 - *less balanced* than a
 - 0.1-to-0.9 split 20% of the time
 - 0.01-to-0.99 split 2% of the time

Intuition for the Average Case

- Assumption: All permutations are equally likely
 - Only for intuition; we'll revisit this assumption later
- Unlikely: Splits always the same way at every level
- Expectation:
 - Some splits will be reasonably balanced
 - Some splits will be fairly unbalanced
- Average case: A mix of good and bad splits
 - Good* and *bad* splits distributed randomly thru the tree



Intuition for the Average Case

- Assume for intuition: Good and bad splits occur in the alternate levels of the tree

Good split: Best case split



Bad split: Worst case split

Intuition for the Average Case





Compare 2-successive levels of avg case vs. 1 level of best case

Intuition for the Average Case





- In terms of the remaining subproblems, **two levels of avg case** is slightly better than the **single level of the best case**
- The avg case has **extra divide cost of $\Theta(n)$** at alternate levels

Intuition for the Average Case



- The **extra divide cost** $\Theta(n)$ of bad splits **absorbed** into the $\Theta(n)$ of good splits.
- Running time is still $\Theta(n \lg n)$

Intuition for the Average Case



- Running time is still $\Theta(n \lg n)$
 - But, slightly **larger hidden constants**, because the height of the recursion tree is about twice of that of best case.

Intuition for the Average Case

- Another way of looking at it:

Suppose we alternate lucky, unlucky, lucky, unlucky, ...

We can write the recurrence as:

$$L(n) = 2 U(n/2) + \Theta(n) \quad \text{lucky split (best)}$$

$$U(n) = L(n-1) + \Theta(n) \quad \text{unlucky split (worst)}$$

Solving:

$$\begin{aligned} L(n) &= 2 (L(n/2-1) + \Theta(n/2)) + \Theta(n) \\ &= 2L(n/2-1) + \Theta(n) \\ &= \Theta(n \lg n) \end{aligned}$$

How can we make sure we are usually lucky for all inputs?

Summary: Quicksort Runtime Analysis

Worst case: Unbalanced split at every recursive call

$$T(n) = T(1) + T(n-1) + \Theta(n)$$

$$\square T(n) = \Theta(n^2)$$

Best case: Balanced split at every recursive call (extremely lucky)

$$T(n) = 2T(n/2) + \Theta(n)$$

$$\square T(n) = \Theta(n \lg n)$$

Summary: Quicksort Runtime Analysis

Almost-best case: Almost-balanced split at every recursive call

$$T(n) = T(n/10) + T(9n/10) + \Theta(n)$$

or $T(n) = T(n/100) + T(99n/100) + \Theta(n)$

or $T(n) = T(\alpha n) + T((1-\alpha)n) + \Theta(n)$

for any constant α , $0 < \alpha \leq 0.5$

□ $T(n) = \Theta(n \lg n)$

Summary: Quicksort Runtime Analysis

For a random input array, the probability of having a split
more balanced than $0.1 - \text{to} - 0.9$: 80%
more balanced than $0.01 - \text{to} - 0.99$: 98%
more balanced than $\alpha - \text{to} - (1-\alpha)$: $1 - 2\alpha$
for any constant α , $0 < \alpha \leq 0.5$

Summary: Quicksort Runtime Analysis

Avg case intuition: Different splits expected at different levels

- some balanced (good), some unbalanced (bad)

Avg case intuition: Assume the good and bad splits alternate

i.e. good split □ bad split □ good split □ ...

- $T(n) = \Theta(n \lg n)$

(informal analysis for intuition)